

T. 11, R. 2 W. 1<sup>st</sup> Mer.

Ind. Boundary 89	84	83	83	83
	4	3	2	1
	111	111	110	110
	9	10	11	12
	96	95	97	97
	16	15	14	13
	109	108	107	107
	21	22	23	24
	28	27	26	25
	32	33	34	35
89	88	88	87	87

T. 12, R. 2 W. 1<sup>st</sup> Mer.

Ind. Boundary 119	115	115
	2	1
	133	133
	10	11
	126	125
	15	14
	131	132
	22	23
	27	26
	33	34
119	116	116

Township No. 12. Range No. 2. W. 1<sup>st</sup> Mer.  
Indiana

North Boundary of T. No. 12 R. No. 2. W.  
West 1<sup>st</sup> Mile West from the corner of Towns 12 & 13  
R. 2 & Towns 12 & 13 of Range No. 1 West

- 2.50 a stream 6 lbs. wide runs N.E.  
13.91 a Spruce 24 ins. dia  
36.50 a small stream runs North  
38.29 a White Oak 16 ins. dia  
50.58 an Elm 30 ins. dia  
54.00 a crop a stream 6 lbs. wide, runs N.E.  
71.73 a Sugar tree 18 ins. dia  
76.00 a small stream runs North  
80.00 a post from which a Beech 16 ins. dia. bears N 43 E  
24 lbs. dia. Va Beech 14 ins. dia. bears S 85 W 19 lbs. dia.  
Over rich land with heavy Beech Sugar tree, White  
& Blue Ash, B. Walnut & Poplar

West 2<sup>nd</sup> Mile West

- 18.35 a Red Oak 18 ins. dia.  
29.00 a small stream runs S. West - another small  
stream on the South of the line runs S. West  
34.56 a W. Oak 20 ins. dia. Enter rich bottom  
45.50 Begin to descend a steep hill  
49.00 descended the hill to a small pond, bears North  
& South - enter low rich bottom  
53.60 To the bank of White water runs N 10 E 2.50 lbs. wide  
59.00 Pass a high bank  
68.00 a water course runs N 10 E, begin to ascend a hill  
72.24 Intersected the Indian boundary line. here set a post  
which is <sup>the</sup> 1.52 North of the 74 mile tree or post  
from which a Sugar tree 6 ins. dia. bears N 43 W 24 lbs.  
dia Va Beech 16 ins. dia. bears S 85 W 31 lbs. dia. Over  
some broken, sand level & rich & some of middling quality  
Timber of all kinds a steep hollow South of the post

T. 12. R. 2. W. 1<sup>st</sup> Mer.

2.00 links

South Boundary of T. 12. R. 2. W.  
West 1<sup>st</sup> Mile West. from the corner of Towns No.  
11 & 12 R. 2 & Towns 11 & 12 of Range 1 W.

20.65 a Blue Ash 10 ins. dia.

33.73 a Buck 15 " "

34.50 a creek 70 yds. wide runs S 20° W

42.00 Rose a steep hill open Beech woods & White  
Oak timber

57.09 a Buck 24 ins. dia

62.50 a small stream runs South

80.00 a spot from which a Buck 10 ins. dia. bears S  
27° E 14 yds. dia. & over land of good quality much  
good Poplar & White Oak timber; Ash & some  
Walnut, with Beech & Sugar trees - from above  
spot a Sugar tree 12 ins. dia. bears N 20° E 23  
yds. distantWest 2<sup>nd</sup> Mile West

10.90 a White Ash 20 ins. dia

26.50 a small stream runs N. W

26.97 a Poplar 37 ins. dia

33.00 a stream 6 yds. wide runs N 20° W

37.00 a stream runs N. W

36.05 crossed a small stream, descended N 20° W to a  
Blue Ash 14 ins. dia

71.50 a water course descends N 20° E

80.00 a spot from which a Sugar tree 12 ins. dia. bears  
S 56° E 6 yds. dia. & a Buck 6 ins. dia. bears N 46° E  
23 yds. dia. Over land somewhat broken, with  
hills & water courses, the soil and productions  
similar to the preceding mileWest 3<sup>rd</sup> Mile West

7.50 Begin to descend a hill

- 10.00 Descended the Hill  
21.50 a small stream runs S<sup>W</sup> into bottom land  
33.00 a creek 25 lbs. wide runs S<sup>W</sup>, rapid water,  
stony bottom  
39.00 a stream 6 lbs wide runs S<sup>W</sup> begins to ascend hill  
46.52 a Buck 24 ins. dia.  
49.00 Rose the hill  
53.50 a small water course descends S<sup>W</sup> hills each side  
59.15 a Hickory 22 ins. dia.  
80.00 a spot from which a Buck 12 ins. dia. bears  
S<sup>W</sup> 17 lbs. dia. & a Buck 14 " " "  
at S<sup>W</sup> 29 lbs. dia. - Over land broken with  
hills & water courses, but generally proper for  
cultivation, tall Buck, Ash, Poplar & Oak timber.

West 4<sup>th</sup> Mile West

- 1.50 a Water course descends South  
3.75 a Poplar 30 ins. dia  
11.36 a Red Oak 26 ins. dia  
21.49 Intersected the Indian Boundary line 26.68 Mts.  
North of the 68 Mile post there set a post, from  
which a Buck 18 ins. dia. bears S 79 E 12 Mts. dis.  
A Sugar tree 5 " " " N 40 E 19 " "  
Over level good land timber as the preceding mile

East Boundary of T. No. 12. R. No. 2. W.  
South 1<sup>st</sup> Mile South from corner of Towns (No.  
12 & 13 of R. 2 & Townships 12 & 13 of R. 1. W.  
14 & 15

- 16.18 a Beech 20 ins. dia  
38.114 a Blue Ash 18 ins. dia. on the bank of a small  
stream, running N.E.  
49.89 a Beech 15 ins. dia  
65.00 a Stream 10 lbs. wide runs N<sup>o</sup> E one branch of  
said stream heads S.W. the other N<sup>o</sup> E  
75.00 the last named stream heads S.W. runs N<sup>o</sup> E  
80.00 Set a post, from which a Beech 16 ins. dia. bears



M. 12. R. D. W. 1<sup>st</sup> Mer.

S 1/4 W 22 hrs. dis. & a Beech 16 ins. dia. bears  
 N 49 1/2 W 10 hrs. dis. Land of middling quality  
 Beech principally, some White & Blue ash  
 Hickory, White & Red Oak, Walnut & Poplar

South 2<sup>nd</sup> Mile South

13.94 a Beech 22 ins. dia  
 33.38 a Sugar tree 16 ins. dia  
 62.37 a Red Elm 16 " "  
 77.55 Intersection the West line 53 hrs. East of the  
 2<sup>d</sup> mile post set there, here fixed a post  
 from which a Beech 15 ins. dia. bears S 76 W  
 18 hrs. dis. & a 12 ins. dia. bears S 34 1/2 E  
 33 hrs. dis. Over land similar in quality to  
 the preceding mile

South 3<sup>rd</sup> Mile South

13.110 a Sugar tree 24 ins. dia.  
 45.77 a Beech 16 " "  
 47.00 a stream 15 hrs. wide, runs S 20 W  
 76.00 a " 10 " " " S 10 E  
 80.00 a post from which a Black Ash 18 ins. dia.  
 bears S 63 1/4 W 37 hrs. dis. & an Elm 16 " "  
 .. N 25 W 36 hrs. dis. Over level rich land,  
 tall Beech, Ash, Oak, Sugar tree - here is  
 wet land & brushy

~~23 for 4<sup>th</sup> mile see page 135 of this Journal~~

South 5<sup>th</sup> Mile South

0.90 a Water course descends West  
 4.50 a small Water course descends N. W  
 24.25 a Sugar tree 22 ins. dia  
 25.30 a stream 6 hrs. wide runs N 50 W Oct. 29<sup>th</sup>  
 45.38 a Sugar tree 20 ins. dia  
 61.28 a Poplar 36 " "  
 70.00 crossed a small stream, runs West  
 80.00 a post from which a Beech 10 ins. dia. bears

N 46 W 20 Mrs. dis. & a Beech 16 ins. dia. bears  
N 79 E 19 Mrs. dis. Over level land, large Beech  
Ash, Poplar & Sugar timber

South 6<sup>th</sup> Mile South

- 11.91 a Beech 18 ins. dia  
23.50 a Stream 6 Mrs. wide, runs N. W. steep high  
banks, about 30 feet  
27.35 a Beech 14 ins. dia  
35.50 The Indian Road leading from Hamilton  
to the Delaware Towns on White River  
40.00 Descended into rich land  
50.00 a creek 30 Mrs. wide runs S 10 W  
58.50 a Water course descends N. W  
61.50 a Spring branch runs N. W. steep ascents on  
each side  
79.25 Intersected the West line 213 Mrs. East of  
the Six Mile post, then set a post, from which  
a White Ash 10 ins. dia. bears S 14 W 25 Mrs. dis  
& a Blue Ash 14 " " " N 5 W 160 " "  
there is a small stream that runs N. W.  
This mile over land of a middling quality, the  
last 1/4 somewhat broken, the other level, Beech  
ash, Sugar tree & Poplar timber

Indian Boundary or West Boundary  
of Town 12 Range 2 West of the Mer.  
Commenced at the 68<sup>th</sup> Mile post,  
which was run from the North bank of  
the Ohio River, opposite to the mouth of  
Kentucky River to Fort Recovery  
course N 5. 25 E

N 5. 25 E 69<sup>th</sup> Mile

- 14.42 a Poplar 14 ins. dia  
31.05 a White Ash 18 ins. dia  
37.00 a small Spring branch, runs N. West

St. 12. R. 2. N. 1<sup>st</sup> Mer.

- 56.30 a small Water course descends West  
 71.00 a stream 10 Mts. wide runs East  
 80.00 Set a post from which a Black Oak 6 ins. dia. bears  
 N 74° W 10 Mts. dis. & Sugar tree 12 " " "  
 N 35° E 7 Mts. dis. (This mile through open  
 woodland, timbered with tall Black, Poplar  
 W. Ash. White & Red Oak & Sugar tree)

70<sup>th</sup> Mile

- 4.50 Cropped a Spring branch running West  
 9.50 a Black 15 ins. dia  
 12.00 Cropped a Water course descending S 30° W  
 67.00 Cropped a Spring branch running West, a  
 Poplar 24 ins. dia  
 80.00 a small Water course descends West, Set a  
 post from which a Black Oak 6 ins. dia. bears  
 S 47° E 26 Mts. dis. & a White Oak 8 " " "  
 N 83° W 21 Mts. dis. Over good land agreeably  
 situated & well timbered with Poplar White &  
 Black Oak. W. Ash Sugar tree & Black, free  
 from under growth

71<sup>st</sup> Mile

- 5.51 a Black 20 ins. dia  
 33.20 a Sugar tree 22 ins. dia  
 44.50 Begin a small descent  
 54.00 descended to a stream 12 Mts. wide running  
 North West, good clear water  
 57.00 Begin to descend  
 60.00 cropped the foot of a small ridge, descending W.  
 65.50 a Spring branch runs West  
 67.50 To the Indian road leading from the Delaware  
 Downs on White River to Hamilton  
 78.00 Enter a rich bottom  
 80.00 a post in a stream 10 Mts. wide, runs West  
 clear good water, Set a post from which a

Swamp Elm 26 ins. dia. bears N 49° W 3 hrs. dis  
 & a Sugar tree 6 " " " S 49° E 24 " "  
 Over rich land & well situated and well timbered

72<sup>nd</sup> Mile

- Enter richest quality of land much nettles,  
 Peas vines & other high weeds & Prickly Ash  
 23.81 a Bottom Oak 36 ins. dia  
 38.50 a Water course descends West  
 49.78 a Hickory 16 ins. dia - a continuation of  
 rich bottom land  
 70.50 To the banks of White Water running S. W.  
 2.50 hrs. wide  
 80.00 To a Black Walnut 18 ins. dia. in the line  
 notched & numbered - Over rich bottom land  
 Blue B. Walnut & Sugar tree timber -

73<sup>rd</sup> Mile

- 10.70 To White Water running S. E. 200 hrs. wide  
 crooked on the back or margin of the River  
 & recrooked again without leaving the bank  
 17.50 Recrooked the River to the West side of the River  
 leading N 20° E appears navigable in a middling  
 state of water  
 24.00 Crooked a stream 10 hrs. wide running S. E.  
 33.88 a Hickory 14 ins. dia  
 52.50 Begin to ascend a side of hill rising West  
 60.00 Hill rising W. Descending East  
 67.00 a Spring branch runs East  
 80.00 a post from which a Black 18 ins. dia. bears  
 N 89° E 15 hrs. dis. & a White Oak 24 ins. dia.  
 bears N 20° E 21 hrs. dis. - On the West side  
 of the hill along this mile is generally  
 rich bottom land

74<sup>th</sup> Mile

T. 12. R. 2. W. 1<sup>st</sup> Mer.

- 0.50 a Spring runs East  
 3.00 descended steep bank to a stream 15 lbs. wide  
 runs S.E. & begins to rise at steep hill  
 8.00 Rose the hill  
 22.53 a Buck 15 ins. dia  
 30.00 the last named stream 100 lbs. wide on our  
 left  
 33.58 a Blue Ash 12 ins. dia  
 48.25 a Buck 20 .. "  
 60.00 much excellent sugar tree timber  
 74.00 a stream 6 lbs. wide runs S.E.  
 80.00 a post from which a Buck 10 ins. dia. bears  
 S68°W 23 lbs. dis. & a Buck 6 .. ..  
 S57°E 18 lbs. dis. Over rich land and well  
 situated for cultivation, Poplar & Buck timber

Subdivisions of T. 12. R. 2. W. of Mer  
 into 2 Mile Blocks.

North 1<sup>st</sup> Mile North from the corner of Sec. (No.  
 34 & 35 between Sec. No. 34 & 35

- 11.00 descended into rich bottom. Now: 2<sup>nd</sup>  
 17.00 a creek 50 lbs. wide, runs S80°W  
 24.39 a Black Walnut 18 ins. dia. rising at hill,  
 a small water course descends S10°W  
 37.56 a Buck 10 ins. dia., rose the ascent  
 65.16 a Buck 15 ins. dia  
 80.00 a post, from which a White Ash 16 ins. dia.  
 bears S11°W 34 lbs. dis. & a sugar tree 12 .. ..  
 .. N81°E 15 lbs. dis. Over good level far-  
 ming land, generally good White & Red Oak,  
 & Poplar timber, with Buck, ash, sugar tree  
 & Hickory — some under growth

North 2<sup>d</sup> Mile North between Sec. (No. 26 & 27)

- 14.70 a Buck 15 ins. dia  
 37.64 a Do 15 .. ..



- 33.50 a small stream descends N<sup>50</sup>W  
 40.50 a " " " " West  
 57.62 a White Oak 28 ins. dia.  
 68.00 a small stream runs West  
 74.00 crossed the Indian trail leads N<sup>60</sup>W  
 80.00 Set a post, this mile over land of an excellent quality for the production of small grain, well situated & well timbered

West 1<sup>st</sup> Mile West between Sec. (No. 24 & 25

- 15.00 crossed a creek 30 lbs. wide, runs S. W  
 33.00 a water course descends S<sup>10</sup>E  
 37.35 a Buck 18 ins. dia.  
 56.55 a Do. 20 " "  
 62.50 a stream 6 lbs. wide, runs South  
 68.43 a Sugar tree 18 ins. dia.  
 80.00 Set a post, from which a Buck 6 ins. dia. bears S<sup>45</sup>E 18 lbs. dis. & a White Oak 22 ins. dia. bears N<sup>82</sup>W 32 lbs. dis. a great part of this over land of richest quality, large Black Walnut, White & Blue Ash, Sugar tree, Poplar, & Buck timber, some Spice under growth

2<sup>nd</sup> Mile West between Sec. (No. 25 & 26

- 5.00 a small stream runs S<sup>10</sup>E  
 14.31 a Sugar tree 12 ins. dia.  
 33.50 a Buck 15 " "  
 48.52 a White Oak 20 " "  
 70.98 a Poplar 36 " "  
 75.16 Intersected the North & South line 3.36 links South of the 2 mile post, here fixed a post from which a Buck 18 ins. dia. bears S<sup>83</sup>E 8 lbs. dis. & a Buck 22 " " " N<sup>85</sup>W 26 lbs. dis. — Over level good land, with Buck, White Oak, White & Red Oak, Poplar, Hickory & Sugar tree, Spice under growth



# N. 12. R. 2. N. 1<sup>st</sup> Mer.

1<sup>st</sup> Mile West from corner of Sec. (No.

22. 23. 26 & 27 & between Sec. (No. 22 & 27

- 10.00 an Indian road leads N 60 W  
 11.63 a Hickory 26 ins. dia  
 30.77 a Sugar tree 20 .. .. descending gently  
 38.00 a stream 10 lbs. wide runs N 20 W  
 48.50 a small water course ascends North  
 53.00 a small stream runs North  
 53.48 a Sugar tree 18 ins. dia.  
 68.55 Intersects the Indian Boundary line,  
 where set a post from which a Red Elm  
 12 ins. dia. bears N 60 E 40 lbs. dis. & a Red  
 Elm 14 ins. dia. bears N 20 E 34 lbs. dist.  
 Over land of good quality, generally, rich,  
 with Beech, Sugar tree, Black Walnut,  
 W & Blue Ash, Red Elm, Oak & Poplar.

3<sup>rd</sup> Mile North between Sec. (No. 22 & 23.

- 15.50 a stream runs N. West, 4 lbs. wide  
 25.92 a Beech 18 ins. dia  
 28.50 a stream 6 lbs. wide, runs N. West  
 34.00 crossed a stream 16 lbs. wide, runs West  
 39.42 a Beech 28 ins. dia  
 58.34 a Sugar tree 18 .. ..  
 73.44 a White Oak 18 .. ..  
 80.00 Set a post, from which a White Oak 24  
 ins. dia. bears N 67 E 53 lbs. dis. & an Elm  
 12 ins. dia. bears N 69 W 11 lbs. dis. The  
 last 1/2 is rich land, the other part of a  
 middling quality, Beech, Ash, Sugar tree,  
 Oak & Poplar timber.

4<sup>th</sup> Mile North between Sec. 14 & 15

- 10.52 crossed a stream 10 lbs. wide runs N 60 W,  
 to a Blue Ash 16 ins. dia

- 28.50 at stream, 10 lbs. wide runs West  
 29.08 a White Oak 18 ins. dia  
 40.00 a small Water course descends West  
 55.11 a Black Walnut 30 ins. dia, richest quality  
 of land. Walnut, Sugar tree, Hackberry &  
 Ash Timber  
 75.00 descended a small hill to a creek 15  
 lbs. wide runs S. West  
 80.00 Rose a small hill, here fixed a post—  
 This mile is over rich land & generally  
 well situated for cultivation — Timber  
 Black Walnut, Buck, Large ash and  
 Poplar,

---

Nov 3<sup>d</sup> 1<sup>st</sup> Mile West, from corner of Sec. No.  
 12 & 13 & between Sec. No. 12 & 13

- 20.56 an Elm 28 ins. dia  
 51.52 a small Water course descends North  
 60.40 a Buck 16 ins. dia  
 73.50 small stream, runs N<sup>W</sup>E  
 80.00 a post from which a Buck 20 ins. dia.  
 bears N<sup>40</sup>W 40 lbs. dis. & a Buck 18 ins.  
 dia. bears S<sup>60</sup>E 18 lbs. dis. — Over rich land  
 Buck, ash, Sugar tree, Poplar, Hickory &  
 White Ash.

---

2<sup>nd</sup> Mile West between Sec. 11 & 14

- 3.00 a small Water course descends North  
 11.81 a Poplar 28 ins. dia  
 24.00 a small Water course descends N<sup>70</sup>W.  
 35.70 crossed a small Water course descends North  
 56.05 a Buck 22 ins. dia  
 56.00 a Spring branch runs N. steep high banks  
 57.84 a Sugar tree 16 ins. dia.  
 69.50 a creek 15 lbs. wide  
 75.54 Intersected the North & South line 113 lbs.

S. 12. N. 2. W. 1<sup>st</sup> Mer.

South of the 12<sup>th</sup> Mile post, here put a post,  
from which a Buck 15 ins. dia. bears S 55 W 7 lks.  
dis. & a Buck 18 ins. dia. bears N 49 W 23 lks. dis.  
Over land of middling quality - Buck, ash  
& Sugar tree, B. Walnut, Poplar & Oak

3<sup>rd</sup> Mile West between Sec. No. 10 & 15.

14.30 a White Ash 18 ins. dia. descended into rich bottom  
27.61 descended a bank 10 feet, to a W. Oak 20 ins. dia.  
29.00 To the bank of White Water runs S 10 W. 2.40 lks. wide  
37.80 Intersected the Indians boundary line, here put  
a post from which a Hackberry 6 ins. dia. bears  
39 lks. dis. & a White Ash 6 " " "  
50 lks. dis. Over rich land, Walnut, Ash,  
Hackberry, Sugar tree, Buckeye & Hickory.

5<sup>th</sup> Mile North between Sec. No. 10 & 11

15.00 Enter rich bottom land  
15.01 a Buckeye 18 ins. dia.  
31.95 a Sugar tree 10 ins. dia.  
50.66 a Red Oak 12 " "  
62.50 To the bank of White Water 3.00 lks. wide,  
runs S 20 W  
80.00 In a rich bottom, fixed a post, from which a  
Honey Locust 12 ins. dia. bears N 75 E 9 lks. dis.  
& a Sugar tree 10 " " " S 47 W 17 " "  
Over land of the first quality, timbered with  
Black Walnut, White & Blue Ash, Sugar tree,  
Locust, Buckeye, Hackberry & Bottom Oak.

6<sup>th</sup> Mile North between Sec. No. 2 & 3

12.00 crossed a stream 10 lks. wide, runs S. E.  
14.04 a Blue Ash 16 ins. dia.  
25.00 Rose a small eminence, the land rich  
49.20 a Blue Ash 22 ins. dia.  
50.50 a stream 10 lks. wide, runs East, steep stony

bank on the North side

- 79.32 Intersected the North Boundary of the Township  
5. 21 Mts. East of the first pt at the intersection  
of said North Boundary with the Indian boundary  
then fixed a post from which a Buck 16 ins. dia  
bears N 2 E 31 Mts. dis. & a Buck 22 ins. dia.  
bears N 60 W 6 Mts. distant.

Commenced the Survey of East Bank  
of White Water River, at the point where  
the North Boundary of Township No. 12  
Range 2 West intersects the same

S 16 E - a high bank on the West & low bottom on  
the East side

25.50 To a hill on the E. & bottom on the West

S 13 W 64.50 Hills or high ground on the East side &  
bottom on the West side

S 39 W 21.00 5.50 To the North line dividing Sec. (No.  
10 & 11 T. 12. R. 2

S 15 W 23.00 92 chs. the mouth of a Water course heads N. W.

S 10 W 51.50 35.70 Mts. intersected the West line between  
sections No. 10 and 15

S 46 W 11.00 To the point where the Indian boundary  
touches the bank

S 59 E 10.50 High ground on the East side

S 50 W 12.00 To the mouth of a stream 15 Mts. wide  
heads S. East

S 45 W 12.00 To the point where the Indian Bound-  
-ary crosses the River - it bearing &  
running South West

1800 — Surveyed by  
Israel Lufflow,  
Dep. Sur.

## T. 12. R. 2. W. 1. Mer.

the 2 mile blocks

## Subdivisions of T. No. 12. R. No. 2. W. of Mer

North Between Sec. (No. 33 &amp; 34

39.00 " Water course 14 lbs. wide runs N. W

40.00 Set the temp.  $\frac{1}{4}$  sec. post

42.55 " Water course 6 lbs. wide runs N. W

68.80 " " " " " " S. W

80.00 Set the temp. centre post - 2<sup>nd</sup> rate land, nearly level, Timber - Beech, Sugar, Oak, &c26.58 To boundary line. Set a post from which a Sugar 15 ins. dia. bears S<sup>5</sup>E 6 $\frac{1}{2}$  lbs. dis. & a Beech 18 ins. dia. bears N<sup>2</sup> E 8 $\frac{1}{2}$  lbs. dis. - Level 2<sup>nd</sup> rate, nearly level, Beech, Sugar, Oak, Poplar &c.

West From corner of Sec. (No. 26. 27. 34 &amp; 35. thence between Sec. (No. 27 &amp; 34

25.38 " Water course 6 lbs. wide runs S. W

26.53 " " " 4 " " " South

40.00 Set the temp.  $\frac{1}{4}$  sec. post

49.05 " Water course 6 lbs. wide, runs S. W

74.55 " " " 6 " " " S. W

77.90 To the N & S. line, fell 12.3 lbs. South of temp. centre post, moved it to centre cor. to Sec. (No. 27. 28. 33 & 34 from which a Beech 6 ins. dia. bears S<sup>7</sup>E 26 $\frac{1}{2}$  lbs. dis. & a Beech 4 ins. dia. bears N<sup>5</sup>W 5 lbs. dis.2<sup>nd</sup> rate level land, timber - Beech, Sugar, Oak &c. Continued West between Sec. (No. 28 & 331.20 " brook 4 lbs. wide, runs S<sup>10</sup>E5.33 To boundary line. Set post corners of Sec. (No. 28 & 33 from which a Sugar 13 ins. dia. bears N<sup>3</sup>E 8 lbs. dis. & a Sugar 7 ins. dia. bears S<sup>5</sup>W 14 lbs. dis. - Level 2<sup>nd</sup> rate land, Beech, Oak, Ash, Sugar, Poplar &c.South Traveled South between Sec. (No. 33 & 34 & set  $\frac{1}{4}$  sec. post at average dis. from which a Sugar 6 ins. dia. bears S<sup>3</sup>E 13 lbs. dis. & a Do. 7 ins. dia. bears N<sup>2</sup>W 25 lbs.



# S. 12 R. 2. T. 1. Mer.

129

East Traveled East between Sect. (No. 27 & 34) & set  $\frac{1}{4}$  sec. post at average distance from which a Buck 12 ins. dia. bears N 13 W 15 lbs. dis. & a Buck 9 ins. dia. bears S 50 E 19 lbs. dis.

East On Random between Sect. (No. 26 & 33)

40.00 set the temp.  $\frac{1}{4}$  sec. post

41.57 a Brook 7 lbs. wide, course S. East

52.64 a " 35 " " " South

80.00 set temp. centre post. 2 pole land. Buck, Oak, Sugar, Poplar &c.

Continued East between Sect. (No. 25 & 36)

32.29 Indian trail N. W

40.00 set temp.  $\frac{1}{4}$  sec. post

77.50 Gull 3.22 lbs. N. of post corner of Sect. (No. 25 & 36)  
Level & rich Buck, Ash, Oak, Spruce, Sugar &c

West Corrected the line between Sect. No. 25 & 36 & set temp.  $\frac{1}{4}$  sec. post at average dis. on true line

West Corrected line West between Sect. No. 26 & 35 & set temp.  $\frac{1}{4}$  sec. post at average dis. on true line

South On Random between Sect. (No. 25 & 26)

31.27 a Brook 7 lbs. wide runs S. E.

37.52 Indian trail course N. W

40.00 set the temp.  $\frac{1}{4}$  sec. post

42.88 a Brook 7 lbs. wide runs N 20 W

68.30 a Do 60 " " " N 20 W

74.73 a Do 3 " " " N. W

77.87 No E & W line - N  $\frac{1}{2}$  mile level & rich - last is some broken & not so rich. Buck, Sugar, Poplar, Ash, Spruce, Walnut & Spruce

Continued South between Sect. No. 35 & 36

3.80 a Water course 4 lbs. wide, runs West

10.80 a " " 5 " " " N 60 W



T. D. R. D. W. 1<sup>st</sup> Mer.

35.90	a Water course 6 lbs. wide, runs S. W
37.00	a " " 4 " " " N. W
40.00	Set temp. $\frac{1}{4}$ sec. post
78.80	Set 211 lbs. West of post corner to Sec. No. 35 & 36 - Level, in some places inclining to west, Back Oak. B & W. Ash &c.
North	Corrected between Sec. (No. 35 & 36 & set $\frac{1}{4}$ sec. post at average distance from which an Elm 5 ins. dia. bears N 27° E 15 lbs. dis. & a Sugar 6 ins. dia. bears S 26° W 4 lbs. dis - Continued North & fell 260 lbs. West of temp. centre post - moved it to centre corner of Sec. No. 25, 26, 35 & 36 - from which a Buck 15 ins. dia. bears N 13, 30° W 18 lbs. dis. & a Gum 14 ins. dia. bears S 13, 30° E 11½ lbs. dis
	Traveled East of centre <del>corner</del> between Sec. (No. 25 & 36 and set $\frac{1}{4}$ sec. post at average distance, from which a B. Oak 14 ins. dia. bears N 27° W 16 lbs. dis. & a Hickory 14 ins. dia. bears S 8° W 15 lbs.
	Traveled West of centre between Sec. (No. 26 & 35 - and set $\frac{1}{4}$ sec. post at average distance, from which a Buck 15 ins. dia. bears N 1° E 16½ lbs. dis. & a Do 11 " " " S 15½° E 16 " "
	Continued North on true line between Sec. (No. 25 & 26 & set $\frac{1}{4}$ sec. post at average dis - from which a Buck 17 ins. dia. bears N 60° W 6 lbs. dis & a White Oak 5 " " " S 73° E 24½ " "
North	On Random between Sec. (No. 23 & 24
34.50	a Water course 5 lbs. wide, runs S. E
38.56	a " " 4 " " " S. E
40.00	Set temp. $\frac{1}{4}$ sec. post

S. 12. R. 2 W. 1<sup>st</sup> Mer.

- 45.10 a Water course 5 lks. wide runs S.E  
 16.80 a " " 4 " " " N.W  
 80.00 Set temp centre post - 1<sup>st</sup> 1/2 mile rich - last 1/2  
 2<sup>nd</sup> note Level - Beech, Oak, Hickory, Ash, Walnut &c  
 Continued North between Secs. (No. 13 & 14  
 6.30 a Water course 5 lks. wide runs N.W  
 11.45 a " " 6 " " " S.W  
 19.00 a " " 4 " " " N 20 W  
 40.00 Set temp. 1/4 sec. post  
 44.55 a Brook 12 lks. wide runs West  
 77.18 Set 10 lks. West of post, corner to sections (No.  
 11, 12, 13 & 14 - Generally level & not good, Beech,  
 Sugar Oak, Hickory &c.

South Corrected between Secs. (No. 13 & 14 & set temp. 1/4  
 sec. post at average distance on true line  
 Corrected South between Secs. (No. 23 & 24 & set  
 temp. 1/4 sec. post at average distance on true line

- West Run the line between Secs. (No. 15 & 22  
 5.55 a Water course 4 lks. wide, runs N.W  
 40.00 Set the 1/4 sec. post, from which an Elm 22 ins.  
 dia. bears S 73 E 22 lks. dis. & a Sugar 13 ins. dia.  
 bears N 30 W 4 lks. dis  
 52.86 To Boundary line & set post corner to Secs. (No.  
 15 & 22 from which a W. Thorn 5 ins. dia. bears  
 N 19 W 3 1/2 lks. dis. & a Hickory 6 ins. dia. bears N 14 W  
 12 lks. dist. - (uneven good 2<sup>nd</sup> note land, Sugar, Ash,  
 Oak, Hickory, Beech, Spruce &c

- East On Random between Secs. (No. 14 & 23  
 4.28 a Water course 7 lks. wide runs N 10 W  
 16.00 a " " 9 " " " N 5 W  
 35.75 a " " 3 " " " N.W  
 40.00 Set the temp. 1/4 sec. post  
 45.75 a Water course 5 lks. wide runs N.W

# G. 12. R. D. W. 1<sup>st</sup> Mer.

55.38 a Birch 10 lbs. wide runs N 85° W line continues up it 3.00 crossing several times

71.55 Birch 5 lbs. wide crosses N. W.

75.30 C. A. & J. line - Land broken, (not good), Buck, Oak, Sugar, Dogwood &c.

Continued East between Sec. (No. 13 & 24

7.47 a Birch 3 lbs. wide runs N. W.

40.00 Set temp.  $\frac{1}{4}$  sec. post

51.35 a Birch 6 lbs. wide runs N. W.

80.65 Fall 183 lbs. North of post, corner to Sec. (No. 13 & 24 - Dute buck, not good, Buck, Hickory, B. W. ash, B. Haver, Hornbeam &c.

West Connected between Sec. (No. 13 & 24 & set  $\frac{1}{4}$  sec. post at average distance from which a B. ash 11 ins. dia. bears S 74° E 14 lbs. dis. & a Haw 7 ins. dia. bears N 64° W 9 lbs. dis

Continued West & fell 104 lbs. South of temp. centre post - Moved it to centre corner to Sec.

(No. 13. 14. 23 & 24 from which a Sugar 7 ins. dia. bears S 38° W 4 lbs. dis. & a Buck 14 "

" " N 12° E 27 " "

South Traveled South between Sec. (No. 23 & 24 & set  $\frac{1}{4}$  sec. post on true line at average distance from which a Buck 7 ins. dia. bears S 76° W 3 lbs. dis. & a Buck 6 ins. dia. bears S 83° E 26 lbs.

North Traveled North between Sec. (No. 13 & 14 & set  $\frac{1}{4}$  sec. post at average distance from which a Sugar 9 ins. dia. bears N 46° E 17 lbs. dis. & a Buck 10 " " " S 55° W 16 " "

West Continued true line between Sec. (No. 14 & 23 & set  $\frac{1}{4}$  sec. post on true line at average distance from which a Buck 7 ins. dia. bears N 40° E

12 lbs. dis. & a Bush & ins. dis. bears N 62° W 13 lbs  
Continued true line to corner

North. On Random between Sec. (No. 11 & 12)

14.85 a Bush 15 lbs. wide runs West

36.43 a Do. 3 " " " West

40.00 Set temp. 1/4 sec. post

42.35 a Water course 12 lbs. wide runs S. W.

52.87 a " " 5 " " " S 25° E

80.00 Set temp. centre post - 2<sup>nd</sup> rate uneven, Buck, Sugar,  
Poplar, Oak, Michony &c.

Continued North on Random between Sec. 1 & 2

0.12 a Bush 4 lbs. wide, runs West

6.85 a Do 6 " " " S. W

11.35 a Do 4 " " " S. E

40.00 Set temp. 1/4 sec. post

78.00 Full 74 lbs. East of post corner of Sec. (No. 1 & 2)

Level 2<sup>nd</sup> rate land, Buck, Sugar, Michony, ash,  
Poplar, Spruce &c

South Corrected between Sec. (No. 1 & 2) & set temp.  
1/4 sec. post at average distance on true line.

Corrected South between Sec. (No. 11 & 12) & set  
temp. 1/4 sec. post at average distance on true line

West From corner of Sec. (No. 1 & 2) on Random between  
Sec. (No. 1 & 2)

2.00 a Water course 5 lbs. wide, runs North

40.00 Set temp. 1/4 sec. post

47.20 a Water course 4 lbs. wide runs S. W.

80.00 On North & South line - Level & rich, in some  
places inclining to west. Buck, Sugar, Poplar,  
ash, Michony, Walrus, Spruce &c.

West Continued West between Sec. (No. 2 & 1)

## T. D. R. D. V. 1. Allen

- 12.35 a Water course 5 lks. wide runs with the line  
500 lks. from N. W.
- 19.16 a Water course 3 lks. wide, runs North
- 27.50 a " " " " " " " "
- 33.65 a " " " " " " " N. W
- 40.00 Set temp. 1/4 sec. post
- 51.00 a Brook 7 lks. wide runs N 30 W
- 63.50 White water 200 lks. wide, runs S. W. a small  
Island just below the line & one just above
- 74.78 Fell 2.50 lks. South of post corner to Sec. No.  
2. 3. 10 & 11 - Broken & thin. Buck, Oak,  
Hickory &c.

West Run the line between Sec. (No. 3 & 10  
21.71 Go Boundary line - Set post from which a  
Sugar 22 ins. dia. bears S 16 W 38 lks. dis. &  
a Buck 22 ins. dia. bears N 7 E 17 1/2 lks. dis.  
Mostly ascending, good, timber Ash, Buck,  
Sugar, Walnut, Cherry, Spruce &c

East Continued between Sec. (No. 2 & 11 and set  
1/4 sec. post at average distance on true line  
from which a Hickory 8 ins. dia. bears N 7 W 29  
lks. dis. & a Buck 13 ins. dia. bears S 8 W 32 lks. dis.

Continued East & fell 119 lks. South of temp.  
centre post, moved it to centre corner to Sec.  
No. 1. 2. 11 & 12 from which an Ash 18 ins. dia  
bears N 57 E 21 lks. dis. & a Buck 13 " "  
" S 33 W 3 lks. dis.

Traveled South between Sec. (No. 11 & 12 and  
set 1/4 sec. post at average distance, from which  
a Sugar 16 ins. dia. bears N 55 W 18 lks. dis. & a  
Buck 5 " " " S 37 E 11. " "



Continued true line East between Sec. 1 & 12 and set  $\frac{1}{4}$  sec. post at average distance on true line, from which a Buck 19 ins. dia. bears  $S 59^{\circ} W$  23 lbs. dis. & a Buck 8 ins. dia. bears  $N 15^{\circ} E$  25 lbs. distant.

Traveled North between Sec. (No. 1 and 2) and set  $\frac{1}{4}$  sec. post at average distance on true line from which a Buck 7 ins. dia. bears  $N 64^{\circ} W$  8 lbs. dis. & an Ironwood 5 ins. dia. bears  $S 55^{\circ} E$  27 lbs. distant.

1806 - Surveyed by  
John Brownson  
Dep. Sur.

~~South~~ 1<sup>st</sup> Mile on East Boundary [omitted in place]  
5.50 Crossed a stream 10 lbs. wide runs  $S 10^{\circ} W$   
6.50 a Spring branch runs West  
9.70 a Buck 24 ins. dia  
35.16 a White Oak 16 ins. dia  
45.00 a stream 4 lbs. wide runs West  
56.00 a stream 6 " " "  $N 60^{\circ} W$   
65.50 a small stream runs West  
68.61 a Buck 22 ins. dia  
79.43 Intersected the West line, run 57 lbs. East of the 2 mile post, there set a post, from which a Buck 16 ins. dia. bears  $S 47^{\circ} W$  34 lbs. dis. & a Sugar tree 6 " " "  $N 47^{\circ} E$  4 lbs. dis  
Over-land, similar to the preceding mile



T. 12 R. 2 W. 1<sup>st</sup> Mer

I certify that the foregoing Transcript of  
the Field notes of Township No. 12 Range No. 2  
West of the 1<sup>st</sup> Mer. has been compared with  
the original in this office and found to be  
correct.

Surveyor General's Office,  
Cincinnati, Feb. 9. 1841. }

C. P. Gaines  
Lieut. Col.